



Канатный электротельфер МТ Стационарный, полиспаст 2/1

(1) с микроподъемом

(2) с ограничителем груза

Тип	Полиспаст 2/1		Размеры, мм																						
	Высота подъема, м	Грузоподъемность, kg	Скорость подъема, м/мин				L2	L3	L4	L5	L6	L7	H1	B1	B2	B3	B4	B5	B6	B7	C	e	Md1	d2	
			8	12	8/2	12/2																			
MT202	H1	6	648	688	287	179	32	35																	
	H2	10	738	778	332	269	77	35																	
	H3	14	818	858	373	349	77	75	18.5	70	317	560	295	49.5	53.5	105				165	555	50	M14	15	
	H4	21	978	1018	452	509	157	75											34	192 ⁽¹⁾					
	H5	28	1138	1178	532	669	237	75																	
	H6	37	1226	1290	567	641	207	92	18.5	80	380	618	325	53.5	57.5	128.5				172	555	36	M20	17	
	H7	42	1306	1373	602	711	237	97												226 ⁽¹⁾					
MT305	H1	6	709	749	310	224	45	42																	
	H2	10	814	854	362	329	98	42																	
	H3	13	914	954	412	429	98	92	18.5	70	317	560	295	49.5	53.5	105				165	625	50	M14	15	
	H4	20	1114	1154	512	629	198	92											40	198 ⁽¹⁾					
	H5	27	1314	1354	612	829	298	92																	
	H6	38	1426	1490	667	841	295	90	18.5	80	380	618	325	53.5	57.5	128.5				172	625	36	M20	17	
	H7	42	1526	1593	712	931	335	95												226 ⁽¹⁾					
MT410	H1	5.5	816	880	362	231	40	40																	
	H2	9	926	990	417	341	95	40																	
	H3	12	1026	1090	467	441	95	90	18.5	80	380	618	325	53.5	57.5	128.5				172	715	36	M20	17	
	H4	20	1226	1290	567	641	195	90												220 ⁽¹⁾					
	H5	26	1426	1490	667	841	295	90											45						
	H6	34	1535	1623	710	873	302	90																	
	H7	39	1640	1728	762	978	355	90																	
	H8	47	1815	1903	850	1153	443	90	20.5	90	466	752	390	63.5	67.5	159.5				212	715	38	M24	21	
	H9	52	1955	2043	920	1293	513	90												257 ⁽¹⁾					
	H10	60	2125	2213	1005	1463	598	90																	

MT516	H1	5.5	3200	856	923	377	261	50	45	18.5	80	380	618	325	53.5	57.5	128.5	50	172	800	34	M20	17	
	H2	9		976	1043	437	381	110	45				680 ⁽²⁾		118 ⁽²⁾					226 ⁽¹⁾				
	H3	12		1086	1153	492	491	115	95															
	H4	18		1306	1373	602	711	225	95															
	H5	25		1526	1593	712	931	335	95															
	H6	32		1640	1728	762	978	355	90															
	H7	38		1815	1903	850	1153	443	90	20.5	90	466	752	390	63.5	67.5	159.5			212	800	38	M24	21
	H8	43		1955	2043	920	1293	513	90				830 ⁽²⁾		135 ⁽²⁾					257 ⁽¹⁾				
	H9	49		2125	2213	1005	1463	598	90															

Тип	Полиспаст 2/1		Размеры, mm																					
	Высота подъема, m	Грузоподъемность, kg	Скорость подъема, m/min				L2	L3	L4	L5	L6	L7	H1	B1	B2	B3	B4	B5	B6	B7	C	e	Md1	d2
			8	12	8/2	12/2																		
			L1																					
MT625	H1	4.5	5000	905	993	395	243	40	38	20.5	90	466	752 830 ⁽²⁾	390	63.5 135 ⁽²⁾	67.5	159.5	56	212 257 ⁽¹⁾	890	37	M24	21	
	H2	8		1010	1098	448	348	92	38															
	H3	11		1115	1203	500	453	95	88															
	H4	17		1325	1413	605	663	200	88															
	H5	23		1535	1623	710	873	305	88															
	H6	30		1815	1903	850	1153	445	88															
	H7	35		1955	2043	920	1293	515	88															
	H8	40		2125	2213	1005	1463	600	88															
	H9	46		2253	2288	1067	1513	578	128															
	H10	54		2503	2538	1192	1763	703	128															
	H11	60		2693	2728	1287	1953	798	128															
MT740	H2	8	8000	1133	1168	507	393	68	78	25.5	100	540	880 960 ⁽²⁾	475	80.5 165 ⁽²⁾	84.5	186.5	71	266	1080	56	M27	25	
	H3	12		1293	1328	587	553	148	78															
	H4	17		1453	1488	667	713	178	128															
	H5	23		1668	1703	775	928	285	128															
	H6	29		1883	1918	882	1143	392	128															
	H7	35		2093	2128	987	1353	498	128															
	H8	40		2253	2288	1067	1513	578	128															
	H9	47		2503	2538	1192	1763	703	128															
	H10	52		2693	2728	1287	1953	798	128															
	MT750	H2		8	10000	1168	1174	507	393															68
H3		12	1328	1334		587	553	148	78															
H4		17	1488	1494		667	713	178	128															
H5		23	1703	1709		775	928	285	128															
H6		29	1918	1924		882	1143	392	128															
H7		35	2128	2134		987	1353	498	128															
H8		40	2288	2294		1067	1513	578	128															
H9		47	2538	2544		1192	1763	703	128															
H10		52	2728	2734		1287	1953	798	128															

Тип	Полиспаст 2/1		Размеры, мм																						
	Высота подъема, м	Грузоподъемность, кг	Скорость подъема, m/min				L2	L3	L4	L5	L6	L7	H1	B1	B2	B3	B4	B5	B6	B7	C	e	Md1	d2	
			6	9	6/1.5	9/1.5																			
МТ763	H2	8	L1																						
	H3	12	1233	1239	572	393	68	78																	
	H4	17	1393	1399	652	553	148	78																	
	H5	23	1553	1559	732	713	178	128																	
	H6	29	1768	1774	840	928	285	128	25.5	100	548	888	475	84.5											
	H7	35	1983	1989	947	1143	392	128				968 ⁽²⁾		165 ⁽²⁾	88.5	186.5	71	266	1080	56	M27	25			
	H8	40	2193	2199	1052	1353	498	128																	
	H9	47	2353	2359	1132	1513	578	128																	
	H10	52	2603	2609	1257	1763	703	128																	
				2793	2799	1352	1953	798	128																

Тип	Полиспаст 2/1		Размеры, мм																						
	Высота подъема, м	Грузоподъемность, kg	Скорость подъема, м/мин				L2	L3	L4	L5	L6	L7	H1	B1	B2	B3	B4	B5	B6	B7	C	e	Md1	d2	
			4	6	4/1	6/1																			
МТ780	H3	12	L1																						
	H4	17	1437	1443	652	553	148	78																	
	H5	23	1597	1603	732	713	178	128																	
	H6	29	1812	1818	840	928	285	128																	
	H7	35	2027	2033	947	1143	392	128	25.5	100	556	892	475	88.5	165 ⁽²⁾	92.5	186.5	71	266	1080	56	M27	25		
	H8	40	2237	2243	1052	1353	498	128																	
	H9	47	2397	2403	1132	1513	578	128																	
	H10	52	2647	2653	1257	1763	703	128																	
				2837	-	1352	1953	798	128																

Тип	Полиспаст 2/1		Размеры, mm																			
	Высота подъема, м	Грузоподъемность, kg	Скорость подъема, m/min		L2	L3	L4	L5	L6	L7	H1	B1	B2	B3	B4	B5	B6	B7	C	e	Md1	d2
			16	16/2.5																		
			L1																			
MT202	H4	21	1026	1090	467	441	107	92	18.5	80	380	618 680 ⁽²⁾	325	53.5 118 ⁽²⁾	57.5	128.5	34	172 226 ⁽¹⁾	555	36	M20	17
	H5	28	1086	1153	492	491	127	97														
	H6	37	1226	1290	567	641	207	92														
	H7	42	1306	1373	602	711	237	97														
MT305	H4	20	1086	1153	492	491	115	95	18.5	80	380	618 680 ⁽²⁾	325	53.5 118 ⁽²⁾	57.5	128.5	40	172 226 ⁽¹⁾	625	36	M20	17
	H5	27	1226	1290	567	641	195	90														
	H6	38	1426	1490	667	841	295	90														
	H7	42	1526	1590	712	931	335	95														
MT410	H5	26	1325	1413	605	663	200	90	20.5	90	466	752 830 ⁽²⁾	390	63.5 135 ⁽²⁾	67.5	159.5	45	212 257 ⁽¹⁾	715	38	M24	21
	H6	34	1535	1623	710	873	302	90														
	H7	39	1640	1728	762	978	355	90														
	H8	47	1815	1903	850	1153	442	90														
	H9	52	1955	2043	920	1293	513	90														
	H10	60	2125	2213	1005	1463	598	90														
MT516	H5	25	1535	1623	710	873	305	90	20.5	90	466	752 830 ⁽²⁾	390	63.5 135 ⁽²⁾	67.5	159.5	50	212 257 ⁽¹⁾	800	38	M24	21
	H6	32	1640	1728	762	978	355	90														
	H7	38	1815	1903	850	1153	442	90														
	H8	43	1955	2043	920	1293	513	90														
	H9	49	2125	2213	1005	1463	598	90														
MT625	H2	9	1168	1174	507	393	68	78	25.5	100	540	880 960 ⁽²⁾	475	80.5 165 ⁽²⁾	84.5	186.5	56	266	890	56	M27	25
	H3	14	1328	1334	587	553	148	78														
	H4	17	1488	1494	667	713	178	128														
	H5	23	1588	1594	717	813	228	128														
	H6	30	1778	1784	812	1003	323	128														
	H7	35	1963	1969	905	1188	414	128														
	H8	40	2128	2134	987	1353	498	128														
	H9	46	2288	2294	1067	1513	578	128														
	H10	54	2538	2544	1192	1763	703	128														
	MT740	H2	8	1168	1174	507	393	68														
H3		12	1328	1334	587	553	148	78														
H4		17	1488	1494	667	713	178	128														
H5		23	1703	1709	775	928	285	128														
H6		29	1918	1924	882	1143	392	128														
H7		35	2128	2134	987	1353	498	128														
H8		40	2288	2294	1067	1513	578	128														
H9		47	2538	2544	1192	1763	703	128														
H10		52	2728	2734	1287	1953	798	128														

Тип	Полиспаст 2/1		Скорость подъема, m/min					
	Высота подъема, м	Грузоподъемность, kg	8	12	8/2	12/2	16	16/2.5
			Вес, kg					
MT202	H1	6	500	100	117	-	-	
	H2	10		105	122	-	-	
	H3	14		110	127	-	-	
	H4	21		123	140	226	272	
	H5	28		132	157	244	290	
	H6	37		260	304	251	297	
	H7	42		280	324	274	320	
MT305	H1	6	1000	120	144	-	-	
	H2	10		127	149	-	-	
	H3	13		136	158	-	-	
	H4	20		148	170	272	315	
	H5	27		160	182	287	330	
	H6	38		315	337	315	337	
	H7	42		335	357	335	357	
MT410	H1	5.5	2000	220	263	-	-	
	H2	9		235	278	-	-	
	H3	12		255	298	-	-	
	H4	20		290	333	-	-	
	H5	26		310	353	535	541	
	H6	34		595	655	595	655	
	H7	39		615	675	615	675	
	H8	47		650	710	650	710	
	H9	52		685	745	685	745	
	H10	60		720	780	720	780	
MT516	H1	5.5	3200	250	260	315	-	-
	H2	9		265	275	330	-	-
	H3	12		285	295	345	-	-
	H4	18		320	330	385	-	-
	H5	25		340	350	405	600	660
	H6	32		620	660	620	620	660
	H7	38		655	695	655	655	695
	H8	43		690	730	690	690	730
	H9	49		720	760	720	720	760

Тип	Полиспаст 2/1		Скорость подъема, м/мин					
	Высота подъема, м	Грузоподъемность, кг	8	12	8/2	12/2	16	16/2.5
			Вес, kg					
MT625	H1	4.5	5000	430	490	-	-	
	H2	8		455	515	-	-	
	H3	11		480	540	-	-	
	H4	17		535	595	890	895	
	H5	23		590	650	920	925	
	H6	30		660	720	970	975	
	H7	35		850	910	1025	1030	
	H8	40		895	955	1055	1060	
	H9	46		1030	1060	1100	1105	
	H10	54		1100	1160	1170	1175	
	H11	60		1155	1215	1225	1230	
MT740	H2	8	8000	725	785	785	790	
	H3	12		765	825	825	830	
	H4	17		830	890	890	895	
	H5	23		885	945	945	950	
	H6	29		935	995	995	1000	
	H7	35		995	1055	1055	1060	
	H8	40		1040	1100	1100	1105	
	H9	47		1110	1170	1170	1175	
	H10	52		1165	1225	1225	1230	
	MT750	H2		8	10000	760	820	820
H3		12	800	860		860	865	
H4		17	870	930		930	935	
H5		23	930	990		990	995	
H6		29	980	1040		1040	1045	
H7		35	1045	1100		1100	1105	
H8		40	1090	1150		1150	1155	
H9		47	1165	1225		1225	1230	
H10		52	1225	1285		1285	1290	

Тип	Полиспаст 2/1		Скорость подъема, m/min		
	Высота подъема, m	Грузоподъемность, kg	6	9	
			6/1.5	9/1.5	
			Вес, kg		
МТ763	Н2	8	12500	760	820
	Н3	12		800	860
	Н4	17		870	930
	Н5	23		930	990
	Н6	29		980	1040
	Н7	35		1045	1100
	Н8	40		1090	1150
	Н9	47		1165	1225
	Н10	52		1225	1285

Тип	Полиспаст 2/1		Скорость				
	Высота подъема, м	Грузоподъемность, kg	подъема, м/min				
			4	6	4/1	6/1	
			Вес, kg				
МТ780	Н3	24	16000	840	900		
	Н4	34		915	975		
	Н5	46		975	1035		
	Н6	58		1030	1095		
	Н7	70		1100	1160		
	Н8	80		1155	1215		
	Н9	94		1225	1275		
	Н10	104		1285	-		