



Канатный электротельфер МТ Передвигаемый двумя тележками, полиспаст 2/1

(1) с микроподъемом

(2) с ограничителем груза

Тип	Полиспаст 2/1		Размеры, мм																																					
	Высота подъема, м	Грузоподъемность, kg	Скорость подъема, м/мин		L2	L3	L4	L5	L6	L7	L8	L9	H1	H2	H3	H4	B	B1	B2	B3	B4	B5	B6	B7	C	e	D													
			8 12	8/2 12/2																																				
MT202	H4	21	500	978	1018	452	509	157	75	924	225	415	70	317	195	148	33	90...	560	158.5	239.5	245...	94...	34	165	1065	50	120												
	H5	28		1138	1178	532	669	237	75	1084								130...	625(2)		302(2)	305	54		192(1)															
	H6	37		1226	1290	567	641	207	92	1056								130...	618		250	245...	94...		172															
	H7	42		1306	1373	602	711	237	97	1126								150	680(2)		186	314.5(2)	305		54				226(1)											
MT305	H4	20	1000	1114	1154	512	629	198	92	1044	225	415	70	317	195	148	33	90...	560	158.5	239.5	245...	94...	40	165	1135	50	120												
	H5	27		1314	1354	612	829	298	92	1244								130...	625(2)		302(2)	305	54		198(1)															
	H6	38		1426	1490	667	841	295	90	1256								130...	618		250	245...	94...		172															
	H7	42		1526	1593	712	931	335	95	1346								150	680(2)		186	314.5(2)	305		54				226(1)											
MT410	H4	20	2000	1226	1290	567	641	195	90	1177	280	536	80	380	235	200	37	130...	618	186	250	270...	125...	45	172	1330	36	175												
	H5	26		1426	1490	667	841	295	90	1377								130...	680(2)		314.5(2)	335	105		220(1)															
	H6	34		1535	1623	710	873	302	90	1409								130...	752		294	270...	125...		212															
	H7	39		1640	1728	762	978	355	90	1514								150	830(2)		229	365.5(2)	335		105				257(1)											
	H8	47		1815	1903	850	1153	443	90	1689								280	536		90	466	270		200				37	130...	752	229	294	270...	125...	45	212	1445	38	175
	H9	52		1955	2043	920	1293	513	90	1829								150	830(2)		229	365.5(2)	335		105				257(1)											
MT516	H4	18	3200	1306	1373	602	711	225	95	1247	280	536	80	380	235	200	37	130...	618	186	250	270...	125...	50	172	1415	34	175												
	H5	25		1526	1593	712	931	335	95	1467								130...	680(2)		314.5(2)	335	105		226(1)															
	H6	32		1640	1728	762	978	355	90	1514								130...	752		294	270...	125...		212															
	H7	38		1815	1903	850	1153	443	90	1689								280	536		90	466	270		200				37	130...	752	229	294	270...	125...	50	212	1530	38	175
	H8	43		1955	2043	920	1293	513	90	1829								150	830(2)		229	365.5(2)	335		105				257(1)											
MT625	H4	17	5000	1325	1413	605	663	200	88	1199	280	536	90	466	270	200	37	130...	752	229	294	270...	125...	56	212	1620	37	175												
	H5	23		1535	1623	710	873	305	88	1409								130...	880		369	270...	125...		257(1)															
	H6	30		1815	1903	850	1153	445	88	1689								150	960(2)		271	453.5(2)	335		105				266											
	H7	35		1955	2043	920	1293	515	88	1829								280	536		100	540	265		200				37	130...	880	271	369	270...	125...	56	266	1700	56	175
	H8	40		2125	2213	1005	1463	600	88	1999								150	960(2)		271	453.5(2)	335		105				266											
	H9	46		2253	2288	1067	1513	578	128	2049								280	536		100	540	304		230				30	130...	880	271	369	270...	125...	56	266	1700	56	175
	H10	54		2503	2538	1192	1763	703	128	2299								150	960(2)		271	453.5(2)	335		105				266											
MT740	H6	60	8000	2693	2728	1287	1953	798	128	2489	310	595	100	540	304	230	30	130...	880	271	369	300...	145...	71	266	1925	56	210												
	H2	8		1133	1168	507	600	68	78	1195								130...	880		271	369	300...		145...				266											

H3	12	1293	1328	587	600	148	78	1195						150	960 ⁽²⁾		453.5 ⁽²⁾	365	125							
H4	17	1453	1488	667	713	178	128	1308																		
H5	23	1668	1703	775	928	285	128	1523																		
H6	29	1883	1918	882	1143	392	128	1738																		
H7	35	2093	2128	987	1353	498	128	1948			292															
H8	40	2253	2288	1067	1513	578	128	2108																		
H9	47	2503	2538	1192	1763	703	128	2358																		
H10	52	2693	2728	1287	1953	798	128	2548																		1910

Тип	Полиспаст 2/1		Размеры, мм																												
	Высота подъема, м	Грузоподъемность, kg	Скорость подъема, м/мин		L2	L3	L4	L5	L6	L7	L8	L9	H1	H2	H3	H4	B	B1	B2	B3	B4	B5	B6	B7	C	e	D				
			8	12																								8/2	12/2		
			L1																												
МТ750	H2	8	10000	1168	1174	507	600	68	78	1195																					
	H3	12		1328	1334	587	600	148	78	1195				304															1925		
	H4	17		1488	1494	667	713	178	128	1308																					
	H5	23		1703	1709	775	928	285	128	1523																					
	H6	29		1918	1924	882	1143	392	128	1738	310	595	100	548		230	30	130...	888				373	300...	145..	71	266		56	210	
	H7	35		2128	2134	987	1353	498	128	1948					292			150	968 ⁽²⁾	275		457.5 ⁽²⁾	365	125				1910			
	H8	40		2288	2294	1067	1513	578	128	2108																					
	H9	47		2538	2544	1192	1763	703	128	2358																					
	H10	52		2728	2734	1287	1953	798	128	2548																					

Тип	Полиспаст 2/1		Размеры, мм																													
	Высота подъема, м	Грузоподъемность, kg	Скорость подъема, м/мин		L2	L3	L4	L5	L6	L7	L8	L9	H1	H2	H3	H4	B	B1	B2	B3	B4	B5	B6	B7	C	e	D					
			6	9																								6/1	9/1.5			
			L1																													
МТ763	H2	8	12500	1233	1239	572	600	68	78	1195																						
	H3	12		1393	1399	652	600	148	78	1195					304															1925		
	H4	17		1553	1559	732	713	178	128	1308																						
	H5	23		1768	1764	840	928	285	128	1523																						
	H6	29		1983	1989	947	1143	392	128	1738	310	595	100	548				130...	888													
	H7	35		2193	2199	1052	1353	498	128	1948						292		150	968 ⁽²⁾	275											1910	
	H8	40		2353	2359	1132	1513	578	128	2108																						
	H9	47		2603	2609	1257	1763	703	128	2358																						
	H10	52		2793	2799	1352	1953	798	128	2548																						

Тип	Полиспаст 2/1		Размеры, mm																											
	Высота подъема, m	Грузоподъемность, kg	Скорость подъема, m/min		L2	L3	L4	L5	L6	L7	L8	L9	H1	H2	H3	H4	B	B1	B2	B3	B4	B5	B6	B7	C	e	D			
			4	6																								4/1	6/1	
			L1																											
МТ780	H4	17	1597	1603	732	713	178	128	1408																					
	H5	23	1812	1818	840	928	285	128	1623																					
	H6	29	2027	2033	947	1143	392	128	1838																					
	H7	35	2237	2243	1052	1353	498	128	2048	354	695	100	556	340	274	35	150...	892	279	377	300...	185...	71	266	1970	56	250			
	H8	40	2397	2403	1132	1513	578	128	2208								200	972 ⁽²⁾	457.5 ⁽²⁾	365	160									
	H9	47	2647	2653	1257	1763	703	128	2458																					
	H10	52	2837	-	1352	1953	798	128	2648																					

Тип	Полиспаст 2/1		Размеры, mm																																														
	Высота подъема, m	Грузоподъемность, kg	Скорость подъема, m/min		L2	L3	L4	L5	L6	L7	L8	L9	H1	H2	H3	H4	B	B1	B2	B3	B4	B5	B6	B7	C	e	D																						
			16	16/4																																													
			L1																																														
MT202	H4	21	500	1026	1090	467	441	157	75	856	225	415	80	380	205	148	33	130...	618	186	250	245...	94...	34	172	1140	36	120																					
	H5	28		1086	1153	492	491	237	75	906																			150	680 ⁽²⁾	314.5 ⁽²⁾	305	54	34	226 ⁽¹⁾														
	H6	37		1226	1290	567	641	207	92	1056																																							
	H7	42		1306	1373	602	711	237	97	1126																																							
MT305	H4	20	1000	1114	1154	492	491	198	92	906	225	415	80	380	205	148	33	130...	618	186	250	245...	94...	40	172	1210	36	120																					
	H5	27		1314	1354	567	641	298	92	1056																			150	680 ⁽²⁾	314.5 ⁽²⁾	305	54	40	226 ⁽¹⁾														
	H6	38		1426	1490	667	841	295	90	1256																																							
	H7	42		1526	1593	712	931	335	95	1346																																							
MT410	H5	26	2000	1325	1413	605	663	200	90	1199	280	536	90	466	270	200	37	130...	752	229	294	270...	125..	45	212	1445	38	175																					
	H6	34		1535	1623	710	873	302	90	1409																			150	830 ⁽²⁾	365.5 ⁽²⁾	335	105	50	257 ⁽¹⁾														
	H7	39		1640	1728	762	978	355	90	1514																																							
	H8	47		1815	1903	850	1153	442	90	1689																																							
	H9	52		1955	2043	920	1293	513	90	1829																																							
	H10	60		2125	2213	1005	1463	598	90	1999																																							
MT516	H5	25	3200	1535	1623	710	873	305	90	1409	280	536	90	466	270	200	37	130...	752	229	294	270...	125..	50	212	1530	38	175																					
	H6	32		1640	1728	762	978	355	90	1514																																							
	H7	38		1815	1903	850	1153	442	90	1689																																							
	H8	43		1955	2043	920	1293	513	90	1829																																							
	H9	49		2125	2213	1005	1463	598	90	1999																																							
MT625	H2	9	5000	1168	1174	507	600	68	78	1195	280	536	100	540	200	37	130...	880	271	369	270...	125..	56	266	1925	56	175																						
	H3	14		1328	1334	587	600	148	78	1195																		304																					
	H4	17		1488	1494	667	713	178	128	1249																																							
	H5	23		1588	1594	717	813	228	128	1349																																							
	H6	30		1778	1774	812	1003	323	128	1539																		265																					
	H7	35		1963	1969	905	1188	414	128	1724																																							
	H8	40		2093	2128	987	1353	498	128	1889																																							
	H9	46		2253	2288	1067	1513	578	128	2049																																							
	H10	54		2503	2538	1192	1763	703	128	2299																																							
	MT740	H2		8	8000	1168	1174	507	600	68																		78	1195	310	595	100	540	230	30	130...	880	271	369	300...	145..	71	266	1925	56	210			
H3		12	1328	1334		587	600	148	78	1195	304																																						
H4		17	1488	1494		667	713	178	128	1308																																							
H5		23	1703	1709		775	928	285	128	1523																																							
H6		29	1918	1924		882	1143	392	128	1738	292																																						
H7		35	2128	2134		987	1353	498	128	1948																																							
H8		40	2288	2294		1067	1513	578	128	2108																																							
H9		47	2538	2544		1192	1763	703	128	2358																																							
H10		52	2728	2734		1287	1953	798	128	2548																																							

Тип	Полиспаст 2/1		Грузоподъемность, kg	Скорость подъема, м/min					
	Высота подъема, m			8	12	8/2	12/2	16	16/2.5
				Вес, kg					
МТ202	Н4	21	500	193	210	296	342		
	Н5	28		202	227	314	360		
	Н6	37		330	374	321	367		
	Н7	42		350	394	344	390		
МТ305	Н4	20	1000	218	240	342	385		
	Н5	27		230	252	357	400		
	Н6	38		385	407	385	407		
	Н7	42		405	427	405	427		
МТ410	Н4	20	2000	460	503	-	-		
	Н5	26		480	523	705	541		
	Н6	34		765	825	765	825		
	Н7	39		785	845	785	845		
	Н8	47		820	880	820	880		
	Н9	52		855	915	855	915		
МТ516	Н4	18	3200	490	500	575	-	-	
	Н5	25		510	520	575	770	660	
	Н6	32		790	800	790	790	830	
	Н7	38		825	835	825	825	865	
	Н8	43		860	870	860	860	900	
	Н9	49		890	900	890	890	930	
МТ625	Н4	17	5000	705	765	960	895		
	Н5	23		760	820	1070	925		
	Н6	30		730	890	1140	975		
	Н7	35		1020	1080	1195	1200		
	Н8	40		1065	1125	1225	1230		
	Н9	46		1200	1260	1270	1275		
	Н10	54		1270	1330	1340	1345		
МТ740	Н2	8	8000	1005	1065	1065	1070		
	Н3	12		1045	1105	1105	1110		
	Н4	17		1080	1240	1240	1250		
	Н5	23		1135	1195	1195	1200		
	Н6	29		1185	1245	1245	1250		
	Н7	35		1245	1305	1305	1310		
	Н8	40		1290	1350	1350	1355		
	Н9	47		1360	1420	1420	1425		
Н10	52	1415	1475	1475	1480				

Тип	Полиспаст 2/1		Скорость подъема, м/мин					
	Высота подъема, м	Грузоподъемность, кг	8	12	8/2	12/2	16	16/2.5
			Вес, kg					
МТ750	Н2	8	10000	1040	1100	1100	1105	
	Н3	12		1080	1140	1140	1145	
	Н4	17		1120	1180	1180	1185	
	Н5	23		1170	1230	1230	1235	
	Н6	29		1230	1290	1290	1295	
	Н7	35		1295	1355	1355	1360	
	Н8	40		1340	1400	1400	1405	
	Н9	47		1415	1475	1475	1480	
	Н10	52		1475	1535	1535	1540	

Тип	Полиспаст 2/1		Грузоподъемность, kg	Скорость	
	Высота подъема, m			подъема, m/min	
				6/9	6/1.5/9/1.5
				Вес, kg	
МТ763	Н2	8	12500	1040	1100
	Н3	12		1080	1140
	Н4	17		1120	1180
	Н5	23		1170	1230
	Н6	29		1230	1290
	Н7	35		1295	1355
	Н8	40		1340	1400
	Н9	47		1415	1475
	Н10	52		1475	1535

Тип	Полиспаст 2/1		Грузоподъемность, kg	Скорость подъема, m/min			
	Высота подъема, m			4	6	4/1	6/1
				Вес, kg			
МТ780	Н3	24	16000	1240	1300		
	Н4	34		1315	1375		
	Н5	46		1375	1435		
	Н6	58		1430	1495		
	Н7	70		1500	1560		
	Н8	80		1555	1615		
	Н9	94		1625	1675		
	Н10	104		1685	-		